




IJK BEARING COMPANY



65 mm x 120 mm x 23 mm NSK 6213ZZ deep groove ball bearings

Bearing No. 6213ZZ

6213ZZ Bearing 2D drawings and 3D CAD models

Size	65x120x23 mm
Bore Diameter	65 mm
Outer Diameter	120 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
C	23 mm
r min.	1,5 mm
da min.	73 mm
da max	80 mm
Da max.	112 mm
ra max.	1,5 mm
Weight	1 Kg
Basic dynamic load rating (C)	57,5 kN
Basic static load rating (C0)	40 kN
(Grease) Lubrication Speed	5 300 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.99
EAN	0029176015359
Product Group	B00308
Enclosure	2 Metal Shields



IJK BEARING COMPANY

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 120MM Outside Diameter; 23MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6213ZZ
Weight / LBS	0.995
Bore	2.559 Inch 65 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
Outer Race Width	0.906 Inch 23 Millimeter
SRI	8.63
hidYobi	6213ZZ
LangID	1
D_	120
SREX	0.03
B_	23
da min	73



IJK BEARING COMPANY

hidTable	ecat_NSRDGB
SRE	8.63
mass	1
GRS rpm	5300
ra	1.5
SRIX	0.03
D_a	112
SRIN	-0.03
C0	40
fo	14.4
SREN	-0.03
DE_	109.169
Prod_Type3	DGBB_SR_ZZ
DA_	16.669
bomp	0
Z_	10
yobi	6213ZZ
C_conv	57500
ALPHA_	0
SDM_	92.5
r	1.5
KBRG	6141
SBRG	2
DI_	75.831